

高州市人民医院

连续 168 小时监测小时平均值日报表

序号	监测时间	COD (mg/L)	总磷 (mg/L)
1	2025-01-11 00	71.1307	3.4080
2	2025-01-11 01	74.2850	3.4000
3	2025-01-11 02	73.8761	3.3025
4	2025-01-11 03	72.1330	3.2310
5	2025-01-11 04	71.9138	3.0978
6	2025-01-11 05	71.1660	3.0000
7	2025-01-11 06	72.0724	2.9743
8	2025-01-11 07	74.8670	2.9540
9	2025-01-11 08	75.1543	2.8900
10	2025-01-11 09	76.2080	2.6995
11	2025-01-11 10	74.2301	2.8689
12	2025-01-11 11	67.1220	3.0760
13	2025-01-11 12	71.9480	3.0540
14	2025-01-11 13	91.1700	3.0380
15	2025-01-11 14	89.3134	3.1912
16	2025-01-11 15	82.0730	3.3030
17	2025-01-11 16	81.5464	3.3383
18	2025-01-11 17	79.5250	3.3660
19	2025-01-11 18	80.7309	3.4461
20	2025-01-11 19	84.4810	3.5090
21	2025-01-11 20	84.6827	3.3764
22	2025-01-11 21	85.2470	3.2790
23	2025-01-11 22	85.7905	3.1279
24	2025-01-11 23	87.4210	3.0170
25	2025-01-12 00	85.6502	3.1676
26	2025-01-12 01	79.9390	3.2860
27	2025-01-12 02	79.5166	3.2093
28	2025-01-12 03	78.1790	3.1530
29	2025-01-12 04	78.3496	3.0426
30	2025-01-12 05	78.9390	2.9610
31	2025-01-12 06	79.2317	2.8368
32	2025-01-12 07	80.1340	2.7450
33	2025-01-12 08	80.2203	2.9463
34	2025-01-12 09	80.5040	2.7947
35	2025-01-12 10	76.5211	2.7688
36	2025-01-12 11	63.6750	2.9210
37	2025-01-12 12	68.2283	2.9631
38	2025-01-12 13	84.0630	2.9940
39	2025-01-12 14	83.1512	3.0148
40	2025-01-12 15	79.7210	3.0300



序号	监测时间	COD (mg/L)	总磷 (mg/L)
41	2025-01-12 16	80.1584	3.0421
42	2025-01-12 17	81.5070	3.0510
43	2025-01-12 18	80.6807	3.0510
44	2025-01-12 19	78.1790	3.3445
45	2025-01-12 20	79.2367	3.4180
46	2025-01-12 21	82.6860	3.3330
47	2025-01-12 22	84.2153	3.4526
48	2025-01-12 23	89.6030	3.5410
49	2025-01-13 00	88.0890	3.2895
50	2025-01-13 01	82.8589	3.1060
51	2025-01-13 02	82.5029	3.1004
52	2025-01-13 03	81.2880	3.0960
53	2025-01-13 04	81.5843	3.1289
54	2025-01-13 05	82.4890	3.1530
55	2025-01-13 06	82.7619	2.9953
56	2025-01-13 07	83.6690	2.8770
57	2025-01-13 08	83.9004	3.0010
58	2025-01-13 09	84.6550	2.8009
59	2025-01-13 10	84.6550	1.3151
60	2025-01-13 11	84.6550	2.5575
61	2025-01-13 12	84.6550	2.8353
62	2025-01-13 13	86.8717	3.0330
63	2025-01-13 14	96.7858	3.2862
64	2025-01-13 15	73.3470	3.4990
65	2025-01-13 16	77.9976	3.5539
66	2025-01-13 17	92.2010	3.5970
67	2025-01-13 18	87.3275	3.5280
68	2025-01-13 19	66.0930	3.4730
69	2025-01-13 20	60.7887	3.3853
70	2025-01-13 21	40.4270	3.3200
71	2025-01-13 22	51.8529	3.4717
72	2025-01-13 23	91.5880	3.5830
73	2025-01-14 00	92.4036	3.5503
74	2025-01-14 01	94.9400	3.5260
75	2025-01-14 02	93.6220	3.3766
76	2025-01-14 03	89.6680	3.2670
77	2025-01-14 04	89.1960	3.2541
78	2025-01-14 05	87.9200	3.2440
79	2025-01-14 06	87.4588	3.1274
80	2025-01-14 07	85.9830	3.0350
81	2025-01-14 08	86.6850	3.0917
82	2025-01-14 09	88.8900	2.8503
83	2025-01-14 10	87.4715	2.8053
84	2025-01-14 11	83.4741	2.9220

序号	监测时间	COD (mg/L)	总磷 (mg/L)
85	2025-01-14 12	92.4177	3.1226
86	2025-01-14 13	119.7320	3.2710
87	2025-01-14 14	116.8030	3.4876
88	2025-01-14 15	108.0161	3.6570
89	2025-01-14 16	105.6591	3.6542
90	2025-01-14 17	98.0570	3.6520
91	2025-01-14 18	100.1596	3.6873
92	2025-01-14 19	106.2490	3.7150
93	2025-01-14 20	105.7078	3.9351
94	2025-01-14 21	104.0250	4.1080
95	2025-01-14 22	103.1444	3.8300
96	2025-01-14 23	100.4550	3.6260
97	2025-01-15 00	97.9538	3.6159
98	2025-01-15 01	89.6411	3.6080
99	2025-01-15 02	88.3800	3.2986
100	2025-01-15 03	84.6310	3.0500
101	2025-01-15 04	82.8496	2.9649
102	2025-01-15 05	77.1490	2.9020
103	2025-01-15 06	75.7279	2.8809
104	2025-01-15 07	70.3000	2.8650
105	2025-01-15 08	69.9650	2.8874
106	2025-01-15 09	69.0210	2.7678
107	2025-01-15 10	67.2494	2.8289
108	2025-01-15 11	61.8860	2.9470
109	2025-01-15 12	62.9778	3.0315
110	2025-01-15 13	66.5380	3.0940
111	2025-01-15 14	68.0611	3.1058
112	2025-01-15 15	72.5890	3.1150
113	2025-01-15 16	73.4429	3.2250
114	2025-01-15 17	76.1970	3.3110
115	2025-01-15 18	78.0845	3.4350
116	2025-01-15 19	85.1850	3.5260
117	2025-01-15 20	85.5355	3.4493
118	2025-01-15 21	86.7310	3.3930
119	2025-01-15 22	86.5086	3.6421
120	2025-01-15 23	85.7640	3.8250
121	2025-01-16 00	84.6858	3.5003
122	2025-01-16 01	81.1430	3.2620
123	2025-01-16 02	80.0866	3.0841
124	2025-01-16 03	76.3650	2.9430
125	2025-01-16 04	76.1404	3.0223
126	2025-01-16 05	75.4350	3.0810
127	2025-01-16 06	74.6993	2.9368
128	2025-01-16 07	72.1890	2.8240



序号	监测时间	COD (mg/L)	总磷 (mg/L)
129	2025-01-16 08	73.3684	2.7894
130	2025-01-16 09	77.3170	2.7510
131	2025-01-16 10	81.2508	2.9240
132	2025-01-16 11	95.4730	3.0690
133	2025-01-16 12	94.5575	3.2576
134	2025-01-16 13	91.8110	3.3960
135	2025-01-16 14	89.4641	3.6749
136	2025-01-16 15	81.1430	3.8940
137	2025-01-16 16	82.3853	3.9199
138	2025-01-16 17	85.9830	3.9390
139	2025-01-16 18	85.3257	3.9012
140	2025-01-16 19	83.2820	3.8730
141	2025-01-16 20	83.5196	3.7907
142	2025-01-16 21	84.2451	3.7260
143	2025-01-16 22	86.9680	3.6046
144	2025-01-16 23	95.1370	3.5130
145	2025-01-17 00	94.1050	3.5709
146	2025-01-17 01	90.4460	3.6140
147	2025-01-17 02	89.3500	3.1802
148	2025-01-17 03	86.1760	2.8300
149	2025-01-17 04	85.8961	2.8006
150	2025-01-17 05	85.0170	2.7790
151	2025-01-17 06	85.9806	2.8889
152	2025-01-17 07	88.6960	2.9690
153	2025-01-17 08	89.8089	2.9314
154	2025-01-17 09	93.1780	2.7960
155	2025-01-17 10	93.1780	2.7940
156	2025-01-17 11	93.1780	2.8450
157	2025-01-17 12	93.1780	3.1295
158	2025-01-17 13	93.1780	3.3400
159	2025-01-17 14	90.8005	3.5673
160	2025-01-17 15	81.7190	3.7450
161	2025-01-17 16	80.8783	3.8398
162	2025-01-17 17	78.5090	3.9100
163	2025-01-17 18	78.2662	3.7296
164	2025-01-17 19	77.5310	3.5980
165	2025-01-17 20	77.9290	3.6283
166	2025-01-17 21	79.2270	3.6520
167	2025-01-17 22	81.2776	3.4905
168	2025-01-17 23	88.5020	3.3710