

进出水仪表日报表																
2022年1月16日																
	进水及反 应系统	进水及反 应系统	出水系统	出水系统	进水及反 应系统	进水及反 应系统	进水及反 应系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统
	进水瞬时 流量	进水累计 流量(报 表)	出水瞬时 流量	出水累计 流量(报 表)	进水PH	进水温度	进水COD	进水氨氮	出水PH	出水温度 值	出水COD 值	出水氨氮 值	出水总氮 值	出水总磷		
时	F101	F101 TTL	F201	F201 TTL	PH101	PH101T	COD101	NH3101	PH102	PH102T	COD201	NH3102	TN201	TP201		
	Nm3/h	m3	Nm3/h	m3		℃	mg/l	mg/l		℃	mg/l	mg/l	mg/l	mg/l		
1	0	66	33	44	7.62	22.5	94.7	32.2	7.17	21.6	12.5	1.22	9.68	0.09		
2	0	49	86	49	7.62	22.5	94.7	32.2	7.22	21.5	12.5	1.22	9.68	0.09		
3	0	47	84	51	7.63	22.5	93.4	33.8	7.27	21.4	12.3	1.24	9.69	0.09		
4	108	47	9	18	7.65	22.4	93.4	33.8	7.26	21.7	12.3	1.24	9.69	0.09		
5	105	74	12	52	7.65	22.5	95.4	34.6	7.27	21.5	12.5	1.23	9.67	0.08		
6	0	35	89	23	7.65	22.5	95.4	34.6	7.3	21.5	12.5	1.23	9.67	0.08		
7	0	37	10	38	7.62	22.5	87	34.4	7.29	21.6	11.4	1.2	9.69	0.08		
8	0	31	75	39	7.61	22.5	87.1	34.4	7.34	21.5	11.4	1.2	9.69	0.08		
9	0	35	10	16	7.6	22.5	79.5	31.1	7.32	21.7	11.6	1.18	9.65	0.07		
10	108	50	0	37	7.56	22.5	79.7	31.1	7.35	21.5	11.6	1.18	9.64	0.07		
11	105	60	12	37	7.52	22.5	72.3	29	7.33	21.8	10.7	1.18	9.52	0.1		
12	103	49	82	17	7.5	22.6	72.4	29	7.34	21.8	10.7	1.17	9.52	0.1		
13	0	52	83	52	7.49	22.7	70.2	32.1	7.28	21.9	10.7	1.17	9.73	0.09		
14	0	45	10	32	7.51	22.7	70.3	32.1	7.25	22.3	10.7	1.17	9.73	0.09		
15	103	64	13	55	7.52	22.6	92.7	34.1	7.17	22.1	11.8	1.15	9.73	0.08		
16	103	64	12	39	7.51	22.6	92.7	34.1	7.15	22.3	11.8	1.15	9.73	0.08		
17	0	59	35	38	7.48	22.6	92.5	33.8	7.14	22.3	11.1	1.16	9.53	0.08		
18	0	59	88	51	7.47	22.6	92.5	33.8	7.15	22	11.1	1.17	9.53	0.08		
19	105	90	92	56	7.48	22.6	131.8	30.5	7.16	21.9	10.6	1.15	9.67	0.08		
20	107	106	14	68	7.49	22.6	131.7	30.6	7.08	22	10.6	1.15	9.67	0.08		
21	108	105	65	87	7.48	22.6	178.4	26.6	7.08	21.9	11.1	1.12	9.78	0.12		
22	105	104	96	63	7.49	22.4	178.4	26.6	7.08	21.8	11.1	1.12	9.78	0.12		
23	105	105	94	61	7.51	22.3	179.4	22.1	7.1	21.8	10.7	1.08	9.67	0.11		
24	108	106	0	67	7.53	22.3	179.4	22.1	7.02	21.8	10.7	1.08	9.67	0.11		
合计		1,539.00		1,090.00												
平均	57.2	64.1	46	45.4	7.55	22.5	105.6	31.2	7.21	21.8	11.4	1.17	9.67	0.09		
最大	108	106	96	87	7.65	22.7	179.4	34.6	7.35	22.3	12.5	1.24	9.78	0.12		
最小	0	31	0	16	7.47	22.3	70.2	22.1	7.02	21.4	10.6	1.08	9.52	0.07		

进出水仪表日报表

进出水仪表日报表															
2022年1月17日	进水及反 应系统	进水及反 应系统	出水系统	出水系统	进水及反 应系统	进水及反 应系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统
	进水瞬时 流量	进水累计 流量(报 表)	出水瞬时 流量	出水累计 流量(报 表)	进水PH	进水温度	进水COD	进水氨氮	出水PH	出水温度 值	出水COD 值	出水氨氮 量	出水总氮 值	出水总磷	
时	F101 Nm3/h	F101 TTL m3	F201 Nm3/h	F201 TTL m3	PH101	PH101T ℃	COD101 mg/l	NH3101 mg/l	PH102	PH102T ℃	COD201 mg/l	NH3102 mg/l	TN201 mg/l	TP201 mg/l	
1	108	106	98	81	7.54	22.3	208.8	23.7	7.02	21.9	10.6	1.05	9.54	0.1	
2	109	107	96	59	7.54	22.1	208.8	23.7	7.03	21.9	10.6	1.05	9.54	0.1	
3	108	108	81	62	7.53	22.1	261.7	22.2	7.01	21.9	10.8	1.04	9.68	0.1	
4	108	107	12	88	7.49	22.1	261.7	22.2	7.07	21.9	10.8	1.04	9.68	0.1	
5	108	107	97	67	7.46	21.9	234.8	19.9	7.16	21.9	9.8	1	9.4	0.09	
6	105	107	94	62	7.4	21.8	234.7	20	7.21	21.8	9.8	1	9.4	0.09	
7	104	104	10	66	7.38	21.8	235.8	17.9	7.22	21.9	9.5	0.98	9.69	0.09	
8	104	81	12	58	7.33	21.7	235.8	17.9	7.26	21.9	9.5	0.98	9.69	0.09	
9	102	77	54	49	7.3	21.6	228.9	17.3	7.28	21.9	10.2	0.98	9.45	0.08	
10	102	79	84	55	7.27	21.6	228.8	17.3	7.27	22	10.1	0.98	9.45	0.08	
11	103	101	6	79	7.26	21.8	221	18.3	7.16	21.9	10.5	0.92	9.7	0.08	
12	102	101	96	71	7.28	21.9	221	18.3	7.12	21.9	10.5	0.92	9.7	0.08	
13	101	101	95	57	7.34	21.9	260.9	18.9	7.1	21.9	10.4	0.9	9.36	0.07	
14	101	101	82	61	7.35	22.1	261	18.9	7.09	22	10.4	0.9	9.37	0.07	
15	101	101	9	69	7.3	22.2	262.4	21.4	7.15	21.9	10.3	0.87	9.73	0.07	
16	105	74	10	33	7.27	22.2	262.4	21.4	7.17	21.9	10.3	0.87	9.73	0.07	
17	103	103	72	75	7.25	22.1	237.2	20.3	7.21	21.6	28	1.57	7.95	0.07	
18	104	103	86	53	7.28	22.1	237.2	20.3	7.18	21.6	28	1.58	7.95	0.07	
19	104	103	81	52	7.32	22.1	260.5	14.8	7.15	21.6	18.7	1.38	8.98	0.07	
20	104	103	6	68	7.33	22	260.7	14.8	7.05	21.5	18.7	1.38	8.98	0.07	
21	105	103	76	49	7.35	22.1	256.7	14.4	7.09	21.5	13.3	1.36	9.34	0.07	
22	106	105	84	38	7.31	22.1	256.8	14.4	7.11	21.5	13.3	1.37	9.34	0.07	
23	107	106	9	50	7.31	22.2	200.1	14.1	7.09	21.6	11.9	1.22	9.64	0.4	
24	108	106	32	68	7.33	22.2	200.1	14.1	7.1	21.5	12	1.22	9.63	0.4	
合计		2,394.00		1,470.00											
平均	104.7	99.8	57.6	61.3	7.36	22	239.1	18.6	7.14	21.8	12.8	1.11	9.37	0.14	
最大	109	108	98	88	7.54	22.3	262.4	23.7	7.28	22	28	1.58	9.73	0.87	
最小	101	74	6	33	7.25	21.6	200.1	14.1	7.01	21.5	9.5	0.87	7.95	0.07	



进出水仪表日报表

2022年1月18日																			
	进水及反 应系统	进水及反 应系统	出水系统	出水系统	进水及反 应系统	进水及反 应系统	进水及反 应系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统
	进水瞬时 流量	进水累计 流量(报 表)	出水瞬时 流量	出水累计 流量(报 表)	进水PH	进水温度	进水COD	进水氨氮	出水PH	出水温度	出水COD	出水氨氮	出水总氮	出水总磷					
时	F101 Nm3/h	F101 TTL m3	F201 Nm3/h	F201 TTL m3	PH101 ℃	PH101T ℃	COD101 mg/l	NH3101 mg/l	PH102 ℃	PH102T ℃	COD201 mg/l	NH3102 mg/l	TN201 mg/l	TP201 mg/l					
1	107	106	79	40	7.35	22.2	214.5	13	7.14	21.5	11.8	1.04	9.65	0.33					
2	106	105	64	41	7.37	22.2	214.5	13	7.12	21.5	11.9	1.04	9.65	0.33					
3	106	105	8	62	7.38	22.3	211.2	15.3	7.08	21.5	10.2	0.91	9.72	0.22					
4	103	104	76	57	7.38	22.3	211.1	15.3	7.1	21.5	10.2	0.9	9.72	0.22					
5	107	72	10	25	7.37	22.3	0.4	16.1	7.09	21.5	11.4	0.76	9.63	0.17					
6	108	80	13	42	7.37	22.3	0.4	16.1	7.1	21.3	11.4	0.76	9.63	0.17					
7	103	105	84	20	7.37	22.3	185	13.6	7.14	21.3	10.4	0.6	9.77	0.12					
8	0	77	24	25	7.36	22.3	185.1	13.7	7.08	21.5	10.4	0.6	9.76	0.12					
9	0	69	41	27	7.36	22.3	157.5	11.9	7.1	21.6	11.2	0.46	9.83	0.11					
10	0	68	62	28	7.38	22.3	157.5	11.9	7.14	21.5	11.2	0.46	9.83	0.11					
11	0	85	73	32	7.4	22.3	185.9	12.1	7.16	21.5	10.1	0.33	9.84	0.11					
12	103	83	63	30	7.41	22.4	185.9	12.1	7.15	21.7	10.1	0.33	9.84	0.11					
13	105	82	6	58	7.42	22.4	124.5	13.9	7.08	21.8	9.7	0.24	9.66	0.1					
14	99	100	81	38	7.45	22.4	130.5	13.9	7.11	21.7	9.7	0.24	9.66	0.1					
15	104	78	6	23	7.45	22.4	130.5	17.4	7.07	21.9	9.9	0.18	9.82	0.1					
16	102	101	0	55	7.46	22.3	130.6	17.4	7.08	21.6	9.8	0.18	9.82	0.1					
17	100	101	83	43	7.46	22.3	132.8	14.2	7.12	21.6	10.8	0.18	9.86	0.09					
18	104	78	10	21	7.46	22.3	132.8	14.2	7.12	21.7	10.8	0.18	9.86	0.09					
19	101	102	9	58	7.46	22.3	144.3	14.8	7.12	21.6	25.6	0.18	7.31	0.28					
20	103	79	82	27	7.46	22.3	144.3	14.8	7.16	21.5	25.6	0.17	7.31	0.28					
21	0	94	64	40	7.46	22.3	124	13.1	7.14	21.6	18.8	0.16	7.25	0.26					
22	103	89	73	35	7.47	22.3	124	13.1	7.16	21.5	18.8	0.16	7.25	0.26					
23	103	102	6	54	7.48	22.3	110.6	14.7	7.14	21.6	15.1	0.15	7.6	0.22					
24	105	81	4	37	7.49	22.3	110.6	14.6	7.14	21.5	15.1	0.14	7.6	0.22					
合计		2,146.00		918															
平均	82.2	89.4	42.5	38.3	7.42	22.3	143.4	14.2	7.12	21.6	12.9	0.43	9.16	0.18					
最大	108	106	84	62	7.49	22.4	214.5	17.4	7.16	21.9	25.6	1.04	9.86	0.33					
最小	0	68	0	20	7.35	22.2	0.4	11.9	7.07	21.3	9.7	0.14	7.25	0.09					

进出水仪表日报表

2022年1月20日															
	进水及反 应系统	进水及反 应系统	出水系统	出水系统	进水及反 应系统	进水及反 应系统	进水及反 应系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统
	进水瞬时 流量	进水累计 流量(报 表)	出水瞬时 流量	出水累计 流量(报 表)	进水PH	进水温度	进水COD	进水氨氮	出水PH	出水温度 值	出水COD 值	出水氨氮 量	出水总氮 值	出水总磷	
时	F101 Nm3/h	F101 TTL m3	F201 Nm3/h	F201 TTL m3	PH101	PH101T ℃	COD101 mg/l	NH3101 mg/l	PH102	PH102T ℃	COD201 mg/l	NH3102 mg/l	TN201 mg/l	TP201 mg/l	
1	108	105	23	68	7.57	22.2	183.3	23.6	7.03	21.4	9	0.12	7.77	0.09	
2	108	107	85	44	7.58	22.1	183.4	23.6	7.05	21.3	9	0.12	7.77	0.09	
3	108	107	72	41	7.58	22.1	195.3	23.2	7.04	21.3	7.5	0.13	7.9	0.09	
4	108	107	8	64	7.57	22	195.3	23.2	6.97	21.3	7.5	0.13	7.9	0.09	
5	105	105	76	59	7.55	22	193.2	23.9	7.02	21.3	6.9	0.13	7.91	0.09	
6	107	76	10	34	7.54	22	193.2	23.9	7.03	21.1	6.9	0.13	7.91	0.09	
7	108	77	0	31	7.54	22.1	231.4	18.4	7.08	21.1	8.2	0.12	7.97	0.08	
8	108	79	26	36	7.53	22.1	231.3	18.4	7.14	21	8.2	0.12	7.97	0.08	
9	106	76	46	30	7.54	22.1	204.4	16.3	7.16	21	7.4	0.12	7.84	0.08	
10	105	74	29	34	7.54	22.2	204.5	16.3	7.18	21.1	7.4	0.12	7.85	0.08	
11	104	76	11	33	7.54	22.1	38.5	16.6	7.15	21.3	9.2	3	9.73	0.18	
12	105	80	75	40	7.57	22.2	38.6	16.6	7.14	21.5	9.2	3	9.73	0.18	
13	99	101	80	35	7.56	22.2	163.7	20.5	7.11	21.5	8.3	2.96	9.8	0.17	
14	0	80	20	45	7.56	22.2	163.8	20.4	7.04	22	8.3	2.96	9.8	0.17	
15	100	89	81	34	7.54	22.2	169.2	19.8	7.04	21.8	8.8	2.94	9.88	0.15	
16	0	81	6	56	7.52	22.2	169.2	19.8	6.96	21.9	8.8	2.94	9.88	0.15	
17	101	94	84	38	7.51	22.2	33.3	18.3	7.01	21.8	8.7	2.96	9.76	0.13	
18	104	76	9	24	7.49	22.2	33.3	18.3	6.97	21.8	8.7	2.96	9.76	0.13	
19	104	81	8	52	7.49	22.3	191.7	17.2	6.95	21.7	7.4	2.93	9.96	0.12	
20	105	76	9	35	7.48	22.2	191.7	17.2	6.96	21.5	7.4	2.93	9.96	0.12	
21	106	76	9	36	7.47	22.3	233.7	16	6.97	21.5	7.3	2.88	10	0.11	
22	107	78	10	38	7.47	22.3	233.7	15.9	6.98	21.5	7.3	2.88	10	0.11	
23	106	78	11	37	7.46	22.3	215.4	16.5	7.01	21.5	8.2	1.61	9.59	0.14	
24	107	79	18	39	7.46	22.3	215.3	16.5	7.01	21.5	8.2	1.61	9.59	0.14	
合计		2,058.00		983											
平均	96.6	85.8	33.6	41	7.53	22.2	171.1	19.2	7.04	21.4	8.1	1.66	9.01	0.12	
最大	108	107	85	68	7.58	22.3	233.7	23.9	7.18	22	9.2	3	10	0.18	
最小	0	74	0	24	7.46	22	33.3	15.9	6.95	21	6.9	0.12	7.77	0.08	

进出水仪表日报表

2022年1月21日																			
	进水及反 应系统	进水及反 应系统	出水系统	出水系统	进水及反 应系统	进水及反 应系统	进水及反 应系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统	出水系统
	进水瞬时 流量	进水累计 流量(报 表)	出水瞬时 流量	出水累计 流量(报 表)	进水PH	进水温度	进水COD	进水氨氮	出水PH	出水温度 值	出水COD 值	出水氨氮 量	出水总氮 值	出水总磷 值					
时	F101 Nm ³ /h	F101 TTL m ³	F201 Nm ³ /h	F201 TTL m ³	PH101	PH101T ℃	COD101 mg/l	NH3101 mg/l	PH102	PH102T ℃	COD201 mg/l	NH3102 mg/l	IN201 mg/l	TP201 mg/l					
1	108	79	69	37	7.47	22.3	186	15.1	7.02	21.5	8.3	1.55	9.27	0.13					
2	0	82	79	35	7.48	22.3	186	15.1	7.02	21.3	8.3	1.55	9.27	0.13					
3	103	100	85	26	7.51	22.2	223.6	16.1	7.02	21.5	8.3	1.54	9.26	0.12					
4	0	77	31	33	7.5	22.2	223.6	16.1	7.01	21.6	8.3	1.54	9.27	0.11					
5	0	60	65	34	7.51	22.2	197.1	15.5	7.03	21.5	6.7	1.55	9.34	0.1					
6	108	58	78	34	7.51	22.2	197.1	15.5	7.03	21.3	6.7	1.55	9.34	0.1					
7	107	72	12	32	7.51	22.2	120.9	14.5	7.02	21.3	8.1	1.5	9.21	0.09					
8	104	70	9	23	7.51	22.2	120.9	14.5	7.01	21.3	8.1	1.5	9.21	0.09					
9	102	68	6	23	7.52	22.2	235.6	14.3	7.03	21.5	6.5	1.52	9.23	0.09					
10	0	52	11	24	7.52	22.3	235.7	14.3	7.05	21.5	6.5	1.52	9.23	0.09					
11	0	51	72	28	7.53	22.3	198.3	14.5	7.11	21.5	7.2	1.54	9.14	0.09					
12	0	82	81	27	7.53	22.3	198.3	14.4	7.12	21.5	7.3	1.53	9.14	0.09					
13	0	72	84	33	7.53	22.4	232.2	14.1	7.07	21.8	7.3	1.53	9.26	0.08					
14	0	72	85	34	7.53	22.4	232.3	14.1	7.03	21.8	7.3	1.53	9.26	0.08					
15	0	72	85	35	7.53	22.4	61.3	17.1	7.02	21.8	6.8	1.5	9.28	0.07					
16	0	73	83	33	7.53	22.4	61.4	17.1	7.03	21.8	6.8	1.49	9.32	0.07					
17	0	73	81	33	7.53	22.5	61.4	15.4	7.03	21.8	6.8	1.49	9.32	0.07					
18	0	66	80	32	7.52	22.5	61.3	15.4	7.03	21.8	6.8	1.49	9.32	0.07					
19	107	66	74	36	7.52	22.5	61.4	14.9	7.04	21.8	7.9	1.49	9.1	0.09					
20	105	73	12	32	7.52	22.5	61.3	14.9	7.03	21.6	7.9	1.49	9.1	0.09					
21	106	75	9	19	7.52	22.5	238	15	7.04	21.7	13.6	1.52	9.2	0.25					
22	106	77	9	38	7.53	22.4	238.1	15	7.02	21.6	13.6	1.52	9.2	0.25					
23	105	73	9	34	7.52	22.4	233.8	12.4	7.01	21.6	13.6	1.52	9.24	0.21					
24	105	74	9	32	7.52	22.4	233.9	12.4	7.02	21.6	13.6	1.52	9.24	0.21					
合计		1,717.00		747															
平均	52.8	71.5	50.8	31.1	7.52	22.3	170.8	14.9	7.04	21.6	8.4	1.52	9.24	0.12					
最大	108	100	85	38	7.53	22.5	238.1	17.1	7.12	21.8	13.6	1.55	9.34	0.25					
最小	0	51	6	19	7.47	22.2	61.3	12.4	7.01	21.3	6.5	1.49	9.1	0.07					

